

**II- B. Optom. Sem-IV : Winter-2018**  
**SUBJECT: EYE INVESTIGATIONS AND DISEASE**

Day: Saturday  
Date: 24-11-2018

Time: -  
Max. Marks: 20

W-2018-3728

**N.B:**

Section- A is given on a **SEPARATE** sheet and has to be answered on the **SAME** sheet. This sheet should be completed within the first **30** minutes on starting of the examinations. This sheet with Section -A only will be collected by Supervisor.

Seat No: \_\_\_\_\_

**SECTION-A**

**Q.1** Fill in the blanks: **(20)**

- 1) Traumatic mydriasis is known as \_\_\_\_\_
- 2) The HVF 30-2 indicates \_\_\_\_\_
- 3) Amsler grid chart is based on principle of \_\_\_\_\_
- 4) Sign of Horner's syndrome are \_\_\_\_\_
- 5) Soft exudates are composed of \_\_\_\_\_
- 6) Definition of papilloedema is \_\_\_\_\_
- 7) Define nystagmus \_\_\_\_\_
- 8) Log MAR visual acuity chart is based on principle of \_\_\_\_\_
- 9) Partial red colour defect is known as \_\_\_\_\_
- 10) The working principle of tonopen is \_\_\_\_\_

**P.T.O.**

- 11) Cataract is \_\_\_\_\_
- 12) Commonest type of acquired cataract is \_\_\_\_\_.
- 13) Excimer laser use in \_\_\_\_\_
- 14) Central visual field defects usually seen in \_\_\_\_\_
- 15) Swelling of optic disc is known as \_\_\_\_\_
- 16) Retinitis pigmentosa is also known as \_\_\_\_\_
- 17) Applanation tonometer is based on \_\_\_\_\_ law.
- 18) Synchisis and syneresis is termed as \_\_\_\_\_ & \_\_\_\_\_
- 19) Normal colour vision person known as \_\_\_\_\_
- 20) SITA stands for \_\_\_\_\_

**Total marks Obtained:** \_\_\_\_\_

**Signature of the Invigilator:** \_\_\_\_\_

**Signature of the Examiner:** \_\_\_\_\_

\* \* \* \* \*

